



Adeft Weasand Clip Lamb Jaws

- Specially designed to reduce ingesta contamination on lamb, goat, deer and calf
- Clips form a secure seal around the weasand (oesophagus), preventing contamination
- Quick & easy application, tidier operation with no cutting
- Materials used are FDA Food-Contact approved

Code	Description	UOM/Qty
AD0285-001	Individual Clip	Ct/6000
AD0664-001	Cartridge form (25) to suit carousel	Ct/4000



Adeft Weasand Clip Beef Jaws

- Rectangular shape, specially designed to reduce ingesta contamination on beef carcasses
- Clips form a secure seal around the weasand (oesophagus), preventing contamination
- Fast & easy application, ergonomic design for repetitive use, complete operation with no cutting
- Materials used are FDA Food-Contact approved

Code	Description	UOM/Qty
AD0431-001	Individual Clip	Ct/2000
AD0767-001	Cartridge form (25) to suit carousel	Ct/2000
AD0767-003	Clip Weasand Beef Runner Cartridge	Ct/2000



Adeft Beef Clip Dispenser

- Eliminates cross contamination
- Reduces number of dropped clips
- Visually appealing to auditors and visitors
- Materials FDA/EU compliant
- Quick loading & easily dispensed
- Comes complete with stainless steel plate & mounting pins

Code	Description	UOM/Qty
AD1020-830	750 Clip Dispenser	Ea/1



Adeft Lamb Clip Dispenser

- Faster to pick up clips; 1000 clips per carousel
- Warm water saving; Doesn't require water to wash clips
- Designed to quickly deliver a contamination free clip. Visually appealing to auditors and visitors
- Dispenser works in conjunction with cartridge clips (25 clips per cartridge making loading quick and easy)

Code	Description	UOM/Qty
AD0739-001	Lamb Cassette for Carousel	Ea/1
AD0739-006	Foot Plate, suits Lamb Dispenser Base	Ea/1
AD0739-008	Loader Stand, suits Lamb Dispenser Base	Ea/1
AD0739-810	Carousel Unit, used in conjunction with Lamb Dispenser Base	Ea/1
AD0739-820	Lamb Dispenser Base for Carousel	Ea/1



Fastex Weasand Beef Clip

- Acetal clips form a secure seal around the weasand (oesophagus) preventing contamination
- Clips are easily applied by hand
- Materials used are FDA Food-Contact approved
- Clips are approved by D.P.I Australia, M.A.F New Zealand and U.S.D.A.

Code	Description	UOM/Qty
FX176-0030	Beef Clip	Ct/1000



Fastex Butterfly Lamb Weasand Clip

- Acetal clips form a secure seal around the weasand (oesophagus) preventing contamination
- Clips are easily applied by hand
- Materials used are FDA Food-Contact approved
- Clips are approved by D.P.I Australia, M.A.F New Zealand and U.S.D.A.

Code	Description	UOM/Qty
FX176-0036	Lamb Clip	Ct/8000



Fastex Weasand Ewe Clip

- Roddable acetal clips form a secure seal around the weasand (oesophagus) preventing contamination
- Materials used are FDA Food-Contact approved
- Clips are approved by D.P.I Australia, M.A.F New Zealand and U.S.D.A.

Code	Description	UOM/Qty
FX176-0026	Ewe Clip	Ct/5000



Adept Plastic Bung Inserts for Sheep

- Specially designed to reduce contamination
- Easy to use design with extended smooth nose, optimum skirt diameter for use with wide range of carcass sizes
- Internal webs holds plug on applicator until inserted.
- Materials used are FDA Food-Contact approved

Code	Description	UOM/Qty
AD0072-002	Inserts for Sheep	Ct/5000



Adept Plastic Beef Throat Plug

- Specially designed to reduce head ingesta contamination
- Easy to use design with small, smooth & rounded seal skirt to reduce trauma
- Can be recovered or recycled
- Materials used are FDA Food-Contact approved

Code	Description	UOM/Qty
AD1221-002	Beef Throat Plug	Ct/1200



Adept Lamb Weasand Rodder

- Extremely durable and designed for ergonomic use on inverted chains
- Stainless Steel construction

Code	Description	UOM/Qty
AD0286-010	Lamb Throat Rodder	Ea/1



Adept Beef Throat Rodder

- Investment cast to replicate the most ideal shape to clear the weasand with minimum effort
- Polished stainless steel finish for easy cleaning & sterilisation
- Small cutting edges to sever any sinews left on the weasand

Code	Description	UOM/Qty
AD0142-010	Beef Throat Rodder	Ea/1



Allcare Beef Throat Plug

- Totally biodegradable
- Made from rice husk which breaks down in the rendering process

Code	Description	UOM/Qty
BFBUACBTP	Beef Throat Plug	Ct/500



Beef Throat Plug

- Biodegradable
- Manufactured from 100% recycled paper, breaks down in the rendering process

Code	Description	UOM/Qty
BFBUS102	Throat Plug Cattle Dio-Deg Unwaxed	Ct/500
BFBUS102W	Throat Plug Cattle Dio-Deg Waxed	Ct/500



Bung Plug

- Biodegradable, manufactured from 100% recycled paper, breaks down in the rendering process

Code	Description	UOM/Qty
BFBUS101	Bung Plug Sheep Biodegradable	Ct/3000



Foam Blocks

- Used as a bung insert for sheep to reduce contamination

Code	Description	UOM/Qty
BFBUFOAM	Foam Blocks, 70 x 70 x 20mm	Ct/1225



O-Ring Applicator

- Designed for one hand operation, with non-slip prongs

Code	Description	UOM/Qty
ZZCIL2410	O-Ring Applicator	Ea/1

O-Rings

Code	Description	UOM/Qty
ZZCIL2431	Economy, 12mm, Green	Bx/2000
ZZCIL2450	Mini 'A code', White	Bx/10000
ZZCIL2451	Standard 'B code', White	Bx/5000
ZZCIL2452	Large 'D code', 25mm, White	Bx/2000
ZZCIL2454	Large 'C code', White	Bx/2500



Fastex Skid & Gambrel System

- Tough lightweight Thermoplastic reduces drag for bulk handling
- Non-sticking and non-staining plastic
- Maintenance reduction with no lubrication required no contamination or trimming caused by rail dirt
- Easy to clean, no scrubbing or multi-stage washing
- Corrosion free with no pickling required
- Performs in -40°C-120°C temperatures
- Must be purchased in sets for your assembly

Code	Description	UOM/Qty
FX416-0064	Fastex Skid Black	Ea/1
FX416-0065	Fastex Gambrel Black	Ea/1
FX416-0066	Fastex Locking Cup Black	Ea/1

Stainless Steel Sliders also available.



Hooks

Code	Description	UOM/Qty
ZZ1660	Hook S 6" Stainless	Ea/1
ZZ1664	Hook Stainless Steel 4"	Ea/1
VGS192-H	Hook, Boning, Sani Safe	Ea/1

Poultry Boning Cone

Code	Description	UOM/Qty
ZZABCONEC	Poultry Boning Cone, Large with Clamp	Ea/1



Poly Cutting Board

- Made from high density polypropylene

Code	Description	UOM/Qty
ZZPCB10147	Polystone 300 Board, Natural, 6 x 3" x 3 1/16"	Ea/1
ZZPCB11955	Polystone 300 Board, Natural, 6 x 2" x 3 1/16"	Ea/1
ZZPCB11957	Polystone 300 Board, Natural, 8 x 4" x 3 1/16"	Ea/1

Sizes cut to your request. Please contact your local customer service centre for alternative sizes.

Ecojet Wash Nozzle

- Locker for continuous water spray
- Light nozzle
- High durable plastic component
- Hand protection
- 45-55 PSI Pressure



Code	Description	UOM/Qty
MLNOZZLE15MM/W	Wash Nozzle, White ø 15mm	Ea/1
MLNOZZLE19MM/W	Wash Nozzle, White ø 19mm	Ea/1
MLNOZZLE15MM/B	Wash Nozzle, Blue ø 15mm	Ea/1
MLNOZZLE19MM/B	Wash Nozzle, Blue ø 19mm	Ea/1
MLNOZZLE15MM/R	Wash Nozzle, Red ø 15mm	Ea/1
MLNOZZLE19MM/R	Wash Nozzle, Red ø 19mm	Ea/1

15mm and 19mm Hose Coupling to suit are available, please contact your local customer service centre for more information

Ecojet Wash Pistol

- Handle allows to adjust manually from low water spraying to high water flow
- Clean-up station, less heat
- Available in white, blue or red



Code	Description	UOM/Qty
MLECOJETWHT	Ecojet Standard, White	Ea/1
MLECOJETBLUE	Ecojet Standard, Blue	Ea/1
MLECOJETRED	Ecojet Standard, Red	Ea/1
MLECOJET/LT/WHT	Ecojet Light, White	Ea/1
MLECOJET/LT/BLU	Ecojet Light, Blue	Ea/1
MLECOJET/LT/RED	Ecojet Light, Red	Ea/1

15mm and 19mm Hose Coupling to suit are available, please contact your local customer service centre for more information



Lashing

- A Multi End Cop is the ideal way in which to obtain 25 to 50 lengths of twine economically
- General uses include pallet tying, meat hanging, general tying securing and bunching

Code	Description	UOM/Qty
TPXLL12250K	Lashing 1 Ply 2250 Tex 185m 50 Ends	Ea/1
TPXLL13000K	Lashing 1 Ply 3000 Tex 280m 25 Ends	Ea/1
TPXLL16000K	Twine Lash Pp 6000 Tex 135m 25Ends	Ea/1
TPXLL39000K	Lashing 3 Ply 9000 Tex 90m 25 Ends	Ea/1
TPXLL39000K2R	Lashing 3 Ply 9000 Tex 2 Reel=1400m	Ea/1
DON0044	Twine Multi-End Coil 25 X 90m 3/350	Ea/1
TPXLL14500K2R	Lashing 2 Ply 4500Tex 2 Reel=2700m	Ba/1
ZZK005206	Twine 2Ply 4500 Tex 135m X 25 Ends	Ro/1
ZZK075391	Twine Lash PP 6000T (2 Per Bag)	Bz/1
ZZK075445	Twine Poly Lashing L/Elap 2000T	Ro/1



Lashing Cut & Tied

- Cut lengths of lashing are generally used in both the meat and warehouse industries
- Allowing Allcare to cut your lashing using our modern and efficient cutting process will save you time and money
- Allcare stocks a large range of standard cut lengths, but we can also custom manufacture if minimum quantities are met
- White in colour
- Custom lengths available upon request
- Lashing can also be Tied/Knotted or rubber banded for your needs, contact your local Representative for further details



Balers Twine

Code	Description	UOM/Qty
TPXLTBW7000	Twine Baler White 7000Tex 1300m	Ba/1
DONLTBO7000	Twine Baler Orange 7300Tex 1300m	Ct/1



Jute Twine

- Used as a form of packaging cord for the plumbing and meat industries as well as being used for general packaging purposes
- Cops are used for packaging within the horticultural industry

Code	Description	UOM/Qty
ZZLTJ1440	Twine Jute Tomato 1440Tex 60m 52End	Co/1
ZZLTJ1750H	Twine Jute 5 Ply 1750 Tex 24X122m	Ct/1
ZZTJSTH5	Twine Jute Seaming 5 Ply Hank	Ea/1



Poly Butchers Twine

- Used in a wide variety of applications & considered product of choice for meat, game & poultry tying

Code	Description	UOM/Qty
DON113033	Twine White Poly 1800 Tex 400m	Ro/1
DON13034	Twine Polyester 2475Tex 355m	Ro/1
DON13008	Twine White/Red Poly 3Ply 660 Tex 560m	Ea/6
DON13019	Twine White/Blue Poly 3Ply 86199/700Tex	Ea/1
TPXLTPB2475	Twine P/Butch 2475Tex 115m 40 End	Co/1
ZZ320110	Twine Polyester No 6 Butchers 650m	Ro/1
ZZ403309	Twine Cotton 5C Fine/Medium 1320Tex	Ro/1
ZZCOT1950	Twine Cotton Medium 1950 Tex 6/Pk	Pk/6
ZZKO82184	Twine Cotton Fine 660 Tex 660m	Ro/1



75 years experience in the meat industry. Scotnet have developed the most advanced, innovative, and comprehensive range of meat netting within the global market.



Scotnet Standard Meat Netting

- Suitable to roast or boil
- Ideal for beef, lamb, pork or poultry
- Minimum compression with attractive large squares for maximum shelf appeal
- Available in a full range of sizes
- Available in red & white and white
- Can be custom made to your own requirements in most colours (minimum quantities required).



Scotnet Ultra Peel Netting

- Suitable to roast or boil
- Ideal for hams, beef, lamb, pork and poultry
- High compression net to reduce cavities
- Small squares to allow easy peeling
- Available in a full range of sizes
- Available in a range of colour combinations including red & white, white, blue & red and green & red
- Can be custom made to your own requirements in most colours (minimum quantities required).



Elastic Twine

- Elastic twine for Automatic string tying machines
- White, red & white, other colours available on request

Code	Description	UOM/Qty
SCET00001	Scotnet Elastic Twine, White	Ea/1
SCET00002	Scotnet Elastic Twine, Red/White	Ea/1
ZZLTE001ZTW	Twine Elastic F/Grade Austwine	Ro/1



Chicken Loops

Code	Description	UOM/Qty
ZZ40960	Bands Coloured Loop x 1000	Ea/1
ZZA080CRB	Bands Coloured Loop, Blue x 1000	Ea/1
ZZA080CRW	Net Trussing Chicken Loop Small x 2000	Ea/1
ZZA100CRW	Net Trussing Chicken Loop Medium x 2000	Ea/1
ZZA0055CRB	Bands Coloured Loop 55mm Blue x 2000	Ea/1
ZZA0055CRG	Bands Coloured Loop 55mm Green x 2000	Ea/1
ZZA0055CRR	Bands Coloured Loop 55mm Red x 2000	Ea/1
ZZA0055CRY	Bands Coloured Loop 55mm Yellow x 2000	Ea/1



Scotnet Non-Elastic Sock Net

- Knitted synthetic stockinette
- Widely used for smoking and curing whole hams and boneless hams
- Provides firm uniform shape, while allowing the product to maintain the 'natural' look
- Allows good smoke penetration and increased yields
- Available in rolls, or cut pieces.

Scotnet Elastic Sock Net

- Premier quality material
- Industry leader in all cooked meat applications
- Excellent shape & uniformity
- Brilliant slicing yield and presentation
- Perfect for end user's marketing requirements
- Usages include Boiled & Smoked Ham, Poultry, de-boned or bone-in product

Processing Netting Equipment



Scotnet Manual Power Loader

- Three handle design, minimizing moving parts.
- Long life gripper design
- Fully welded handles

Scotnet Master Stuffer

- Large flared opening
- Maximum support for multi muscle products.
- Tube sold separately



Scotnet Tube Holder

- Slightly flared opening
- Ideal for products that require no shaping before entering the tube.
- Tube sold separately

Scotnet Netting Tube

- For use with all Scotnet manual or automated net loading equipment



Scotnet High Speed Auto Net Loader

- Finger head removes in seconds for easy serving
- Spring loaded fingers - no adjustments needed for different tubes
- Fully enclosed stainless steel cabinet, no food or bug traps
- Adjustable feet for uneven floors
- Load from bobbins sacks or rolls

All Scotnet hand loading equipment is made from 316 food grade stainless steel and is available in sizes 90mm to 200mm diameter tubes.



Scotnet Single Stuffer with Collagen Applicator

- Simple all pneumatic operation, no electrics
- Designed to take standard collagen roles
- Secure tube location
- Smooth collagen former easily changed without tools



Scotnet SS500 Single Stuffer

- Simple pneumatic operation, no electrics
- Nylon pistons, light robust and easy to clean.
- Optional floor stand
- Camlock tube location, making even bent tubes easy to remove.
- Works with standard 460mm Scotnet tubes.
- Simple operation, simply close the lid to start operation.



Scotnet DS1200P6 High Speed Double Stuffer

- Chamber sides open for easy cleaning and fast tool changes.
- Gutters and drains to catch any ingressing liquids.
- Emergency stop button on both sides
- Water resistant electrical cabinet
- Swan neck cable system to eliminate water ingress.



Scotnet DS1200P6 XP High Speed Press

- Emergency stop button on both sides
- Swan neck cable system, eliminating water ingress.
- Chamber sets come complete with pistons and donuts, making gaps as small as possible
- Intergrated drip tray to catch any falling product.
- Water resistant electrical cabinet
- Simple tool-less chamber changes.

Processing

Stockinettes, Paper & Seals



Stockinette

- Used for shipping larger carcasses for product protection & identification

Code	Description	UOM/Qty
BFSTKB72	Beef Stockinette c/w tag, 18" x 72"	Ba/1
BFSTKB86T	Beef Stockinette c/w tag, 18" x 86"	Ba/1
BFSTKM66T	Mutton Stockinette c/w tag, 12" x 66"	Ba/1
BFSTKP86T	Pork Stockinette wtag, 15" x 86"	Ba/1



Allcare Legging Paper

- Used for protection of exposed meat from contamination from hair & fleece
- For lamb, sheep & beef
- Can be used in either the inverted or conventional systems

Code	Description	UOM/Qty
BFPALE230275	Paper Legging, 230 x 275mm, Wet Strength 30gsm	Ct/4500
BFPALE2302759	Paper Legging, 230 x 275mm, Punched 39gsm, Number p/ctn	Ct/3250
BFPALE230345	Paper Legging, 230 x 345mm, Wet Strength 30gsm	Ct/4500
BFPALE2303455	Paper Legging, 230x345, 35gsm, Sheets	Ct/4500
BFPALE305380	Paper Legging, 305 x 380mm, Standard 30gsm	Ct/2000
BFPALE3053809	Paper Legging, 305 x 380mm, Heavy 39gsm	Ct/2000
BFPALE305480	Paper Legging, 305 x 480mm, Heavy 39gsm	Ct/1000
BFPALE345415	Paper Legging, 345 x 415mm, Wet Strength 30gsm	Ct/2000



Ring (Security) Seals Red

- The Ringlock seal provides a positive barrier against unauthorised entry or tampering
- Once closed, it is impossible to open without destroying the seal or leaving visible signs of damage
- Seal is a cheap, quick and effective method of providing security on a wide range of applications including storage bins, railcars, freezer doors, warehouses, tote bins, truck doors or wherever goods are stored or in transit
- One piece snap fix thermoplastic seal
- Can be bar coded, colour matched or logo embossed
- Can be applied easily and removed by hand
- Various Lengths: 217mm / 179mm / 165mm / 127mm
- Standard numbering is sequential alphanumeric 7 spaces
- Pack size is boxes of 1000 seals
- Special colours and logos available for minimum runs (5000)

Code	Description	UOM/Qty
FX480-0231	Ring (Security) Seals Red	Bx/1000



Beef Carcass Tags

- Plain thermal tag used for printing the identification of beef carcasses
- 2 sizes available depending on application

Code	Description	UOM/Qty
BFTGBCPP83	Tags Beef Carcass 257x50mm White	Bx/6000
BFTGBCPP85	Tags Beef Carcass 257x50mm Yellow	Bx/6000
BFTGBCPP84	Beef Carcass Tags, 257x50mm, Blue	Bx/10000



Hot Carcass Tags #1 Strung

- Specially coated (FDA Approved) board to withstand water & the heat of carcasses

Code	Description	UOM/Qty
BFTGHCT1STBK	Hot Carcass Tags #1 Strung, Black	Bx/1000
BFTGHCT1STLB	Hot Carcass Tags #1 Strung, Light Blue	Bx/1000
BFTGHCT1STM	Hot Carcass Tags #1 Strung, Manilla	Bx/1000
BFTGHCT1STO	Hot Carcass Tags #1 Strung, Orange	Bx/1000
BFTGHCT1STPK	Hot Carcass Tags #1 Strung, Pink	Bx/1000
BFTGHCT1STPP	Hot Carcass Tags #1 Strung, Purple	Bx/1000
BFTGHCT1STR	Hot Carcass Tags #1 Strung, Red	Bx/1000
BFTGHCT1STW	Hot Carcass Tags #1 Strung, White	Bx/1000

Can be custom made if minimum quantities are met.



Plastic Tag Female #4

- Two piece ID tagging system for fast, positive livestock identification

Code	Description	UOM/Qty
BFTGHCT4PS	Tag Hot Carcass No 4 Ptd/Strung, All Colours	Bx/1000



Tuflok Tags

- Designed to loop through themselves to enable attachment to products being identified
- Withstands harsh elements such as weather or rough handling

Code	Description	UOM/Qty
BFTG4610	Tuflok Tags, Just White	Bx/5000
BFTG4620	Tuflok Tags, Orange	Bx/5000
BFTG4630	Tuflok Tags, Citrus Green	Bx/5000
BFTG4635	Tuflok Tags, Spring Green	Bx/5000
BFTG4640	Tuflok Tags, Lemon Fizz	Bx/5000
BFTG4655	Tuflok Tags, Hot Pink	Bx/5000
BFTG4670	Tuflok Tags, Black	Bx/5000
BFTG4675	Tuflok Tags, Blue Mood	Bx/5000
BFTG4710	Tuflok Tags, Red	Bx/5000



Shipping/Processing Tags

- For easy identification
- Manufactured from quality manilla board. Reinforced holes for durability
- All sizes available in manilla, red & blue

Code	Description	UOM/Qty
BFTG*	Unitags No. 1, 35 x 70mm	Bx/1000
BFTG*	Unitags No. 2, 41 x 82mm	Bx/1000
BFTG*	Unitags No. 3, 48 x 96mm	Bx/1000
BFTG*	Unitags No. 4, 54 x 108mm	Bx/1000
BFTG*	Unitags No. 5, 60 x 120mm	Bx/1000
BFTG*	Unitags No. 6, 67 x 134mm	Bx/1000
BFTG*	Unitags No. 7, 73 x 146mm	Bx/1000
BFTG*	Unitags No. 8, 80 x 160mm	Bx/1000

*Shipping Tags can be printed and strung to meet your specific requirements. Code dependant on colour and type, for more information please contact your Customer Service Representative



Meat Branding Ink

- Meat branding Ink in a variety of colours for use in various registered establishments
- AQIS approved

Code	Description	UOM/Qty
IMBRN25	Branding Ink, 25 Litre, Brown	Ea/1
IMPURP25	Branding Ink, 25 Litre, Purple	Ea/1
IMPURP5	Branding Ink, 5 Litre, Purple	Ea/1
IMRALL25	Branding Ink, 25 Litre, Allura Red, Export	Ea/1
IMRALL5	Branding Ink, 5 Litre, Allura Red, Export	Ea/1



Meat Branding Ink Condemned

- Highly visible colour fast ink for condemned meat

Code	Description	UOM/Qty
IMCDB25	Condemned Ink, 25 Litres, Blue	Ea/1
IMCDB5	Condemned Ink, 5 Litres, Blue	Ea/1
IMCDG25	Condemned Ink, 25 Litres, Green	Ea/1
IMCDG5	Condemned Ink, 5 Litres, Green	Ea/1



Raddle Stock Marking Spray

- Fully scourable
- Ozone friendly colour aerosol
- Hydro propellants to ensure good clear marking of fleeces & fully emptying cans

Code	Description	UOM/Qty
INRADSP	Marking Spray	Can
ZZ4040	Marking Spray, Red	Can
ZZ4041	Marking Spray, Blue	Can
ZZ4042	Marking Spray, Green	Can
ZZ4043	Marking Spray, Orange	Can
ZZ4044	Marking Spray, Purple	Can



Raddle Dry Tubes

Code	Description	UOM/Qty
ZZINRADTUB	Raddle Dry Tubes Blue-Red	Box 10



Meat Marking Crayons

- AQIS approved for marking meat or hides

Code	Description	UOM/Qty
BFCRMMAR	Marking Crayons, Red	Pk/10
BFCRMMB	Marking Crayons, Blue	Pk/10
BFCRMMGN	Marking Crayons, Green	Pk/10



Hot Shot Stock Prodder

- Fully sealed motor unit supplier c/w special heavy duty
- Hot Shot batteries and safety key included
- High power output
- Replaceable polycarbonate shaft (2 lengths)

Code	Description	UOM/Qty
PRHS200022	Complete Unit, 59cm	Each
PRHS200032	Complete Unit, 85cm	Each



Batteries

Code	Description	UOM/Qty
GA30002180	Duracell Procell Alkaline, "AA"	Each
GA30002181	Toshiba Alkaline, "AAA"	Each
GA18036237	Duracell Procell Alkaline, "C"	Each
GA8036238	Duracell Procell Alkaline, "D"	Each
GA18036211	Lantern 6 Volt for Torch, Black	Each
GA18036215	Duracell 9V Alkaline	Each



Jadco Wall Clock

Code	Description	UOM/Qty
ZZELCJ1067	Jadco Wall Clock, 225mm, White	Each



Torch

Code	Description	UOM/Qty
ZZELTD108	Dolphin MK4, Yellow	Each

Processing Nally Containers



Nally No 4 Stakanesta Crate 13.5 Litre

Code	Description	UOM/Qty
VPIH089B	No 4 Crate, 13.5 Litre Available colours - Natural, Orange, Blue	Ea/1
VPIH014W	Lid for No 4 Crate	Ea/1



Nally No 5 Stakanesta Crate 22.7 Litre

Code	Description	UOM/Qty
VPIH059OR	No 5 Crate, 22.7 Litre Available colours - Orange, Natural	Ea/1
VPIH015W	Lid for No 5 Crate	Ea/1



Nally No 7 Stakanesta Crate 32 Litre

Code	Description	UOM/Qty
VPIH060B	No 7 Crate, 32 Litre Available colours - Natural, Blue, Red, Grey	Ea/1
VPIH052W	Lid for No 7 Crate	Ea/1



Nally No 10 Stakanesta Crate 52 Litre

Code	Description	UOM/Qty
VPIH051B	No 10 Crate, 52 Litre Available colours - Natural, Blue, Red, Grey, Black	Ea/1
VPIH052W	Lid for No 10 Crate	Ea/1



Nally No 15 Stakanesta Crate 68 Litre

Code	Description	UOM/Qty
VPIH078B	No 15 Crate, 68 Litre Available colours - Blue, Red, Grey, Natural	Ea/1
VPIH052W	Lid for No 15 Crate	Ea/1



VPIH2260G

Nally S2000 Stakanesta Solid Tub

Code	Description	UOM/Qty
VPIH2260G	S2000 Stakanesta Solid Crate, 26 Litre Available colours - Natural, Green, Red	Ea/1
VPIH2520B	S2000 Stakanesta Solid Crate, 52 Litre Available colours - Natural, Blue	Ea/1
VPIH2000W	Lid to Suit S2000 Crates, drop on	Ea/1



VPIH305W

Nally Multistaka Crates (Tote Box)

Code	Description	UOM/Qty
VPIH305W	Multistaka 13 Litre Available colours - Blue, White	Ea/1
VPIH306W	Multistaka 22 Litre Available colours - Blue, White	Ea/1
VPIH307W	Multistaka 32 Litre Available colours - Blue, White	Ea/1
VPIH308W	Lid to suit Multistaka (VPIH305,306 & 307 Crates) Available colour - White	Ea/1



VPIH048W

Nally Solutions Crates

Code	Description	UOM/Qty
VPIH048W	Crate, Solid 16 Litre Available colours - Blue, White	Ea/1
VPIH090W	Solid Crate, 32 Litre Available colours - Natural, Grey	Ea/1
VPIH077W	Crt Nally White 11 Litre Solid	Ea/1



VPIH001GY

Nally Aquaculture Crates

Code	Description	UOM/Qty
VPIH001GY	Prawn Crate, Vented, 15.5 Litre	Ea/1
VPIH002	Lid to suit Prawn Crate	Ea/1
VPIH066R	Solid Crate, 56 Litre, Natural	Ea/1



VPIH3021

Nally Meat/Poultry Crates

Code	Description	UOM/Qty
VPIH954	Live Bird Crate	Ea/1
VPIH095	Transporter Vented Crate, 32 litre	Ea/1
VPIH3021	Vented Crate, 26 Litre	Ea/1
VPIH091W	Meat Tub, 54 Litre	Ea/1



VPN148W

Nally Bucket and Handle 13 Litre

Code	Description	UOM/Qty
VPN151R	Solid Bucket & Handle, 13.6 Litre Red, White	Ea/1
VPN148W	Lid to Suit 13.6 litre Bucket, White	Ea/1



Nally Bucket and Handle 18 Litre

Code	Description	UOM/Qty
VPN258W	Solid Bucket & Handle, 18.2 litre, White	Ea/1
VISN073W	Lid to Suit 18.2 Litre Bucket, White	Ea/1



Nally Bucket and Handle 22 Litre

Code	Description	UOM/Qty
VPN075B	Solid Bucket & Handle, 22 litre Available colours - Blue, Red, White	Ea/1
VISN073W	Lid to Suit 22 Litre Bucket, White	Ea/1



Nally Bin and Lid 67 Litre

Code	Description	UOM/Qty
VPIP015W	Solid Tub, 67 litre Available colours - Red, Natural	Ea/1
VPIP016W	Lid to Suit 67 Litre Tub	Ea/1



Nally Bin and Lid 84 Litre

Code	Description	UOM/Qty
VPIP018GN	Solid Tub, 67 litre Available colours - Green, Natural	Ea/1
VPIP016W	Lid to Suit 84 Litre Tub	Ea/1



Nally Bin and Lid 114 Litre

Code	Description	UOM/Qty
VPIP025R	Solid Tub, 114 Litre Available colours - Red, Natural	Ea/1
VISIP026WHT	Lid to Suit 114 Litre Tub	Ea/1



VPMS7800

Nally Megabins®

Code	Description	UOM/Qty
VPMS7800	Solid Megabin, 780 litre, Beige	Ea/1
VPMS7800B	Solid Megabin, 780 litre, Beige, with screw in Drainage Bung	Ea/1
VPMS7810	Vented Megabin, 780 litre, Beige, 10mm Vents	Ea/1
VPMSLID	Lid to Suit Megabins	Ea/1



Nally Vipallet Plastic

Code	Description	UOM/Qty
VPIH537GY	Vipallet, Grey	Ea/1



Waterproof Mini Thermometer

- Measurement range -20 to +230°C

Code	Description	UOM/Qty
TES05601113	Thermometer, Waterproof Mini, 120mm	Ea/1



Infrared 830 T1 Thermometer

- Ideal instrument for non-contact temperature measurements in the HUAC area and industry

Code	Description	UOM/Qty
TES05608301	Thermometer Infrared 830 T1	Ea/1



Set Core Testo 106 Thermometer

- Fast measurement
- Measurement range -50 to +275°C

Code	Description	UOM/Qty
TES05631063	Thermometer, Set Core Testo 106	Ea/1



Mini Infrared Thermometer

- Practical and compact
- Measurement range -25 to +250°C

Code	Description	UOM/Qty
TES05638051	Thermometer Mini Infrared	Ea/1