

3M **E·A·R**


3M™ E-A-Rsoft™ Ultrafit™ Earplugs

- Reusable triple flange design ensures high protection levels
- Premoulding delivers performance in a variety of work environments
- Available in corded & uncorded formats

Code	Description	UOM/Qty
AE340-4004	Corded in Polybag, 18dB, Class 3	Bx/100

3M **E·A·R**


3M™ E-A-Rsoft™ Superfit™ Earplugs

- Soft foam & red indicator line delivers protection & comfort
- The bullet design of the earplug provides high protection levels
- Available in corded & uncorded formats
- Patented dispenser ensures no earplug wastage

Code	Description	UOM/Qty
AE311-1254	Regular Corded PB, Bx/200 Pr, 24dB, Class 4	Bx/200
AE391-1254	Regular Uncorded Dispenser Refill, Bx/500 Pr, 24dB, Class 4	Bx/500

3M **E·A·R**


3M™ E.A.R® Metal Detectable

- Bullet shape soft foam delivers all day comfort with metal detectability

Code	Description	UOM/Qty
AE311-4106	Soft Metal Detectable Corded Regular, 23dB, Class 4	Bx/200
AE340-5007	Ultrafit Metal Detectable Corded Regular, Bx/100 Pr, 18dB, Class 3	Bx/100

3M


3M™ Nitro Earplugs

- Assorted bright colours ensure high compliance levels
- Soft tapered foam allows for easy insertion & all day comfort

Code	Description	UOM/Qty
AEP1010	Uncorded, Bx/200 Pr, 26dB, Class 5	Bx/200
AEP1011	Corded, Bx/100 Pr, 27dB, Class 5	Bx/100

3M PELTOR



3M™ Peltor™ Low Profile Earmuffs H6 Series

- Low profile design earmuffs specially engineered for high comfort & continuous wear
- Available in headband, neckband & helmet attachment formats
- Patented liquid & foam filled cushions provide a quality noise seal with low pressure for all day wearer comfort
- Stainless steel headband wires with four point suspension helps distribute cushion pressure evenly & earcups pivot for consistent fit

Code	Description	UOM/Qty
AEH6A	H6 Headband Earmuffs, 22dB, Class 4	Pr/1
AEH6B	H6B Behind the Head Earmuffs, 22dB, Class 4	Pr/1

3M PELTOR



3M™ Peltor® H7 Series Deluxe Earmuffs

- Versatile high quality earmuffs meet the protection needs of almost any working environment
- Available in headband, neckband & helmet attachment formats
- Patented liquid & foam filled cushions provide a quality noise seal with low pressure for all day wearer comfort
- Stainless steel headband wires with four point suspension helps distribute cushion pressure evenly & earcups pivot for consistent fit

Code	Description	UOM/Qty
AEH7A	H7 Headband Earmuffs, 30dB, Class 5	Pr/1
AEH7B	H7 Neckband Earmuffs, 28dB, Class 5	Pr/1

3M PELTOR



3M™ Peltor™ Select Performance Earmuffs H9 Series

- Lightweight, comfortable & effective earmuffs that provide a cost effective solution for a wide range of workplaces
- Available in headband, neckband & helmet attachment formats
- A dielectric option is available for intrinsically safe requirements
- Patented liquid & foam filled cushions provide a quality noise seal with low pressure for all day wearer comfort
- Stainless steel headband wires with four point suspension helps distribute cushion pressure evenly and earcups pivot for consistent fit

Code	Description	UOM/Qty
AEH9A	H9 Headband Earmuffs, 24dB, Class 4	Pr/1
AEH9B	H9 Neckband Earmuffs, 24dB, Class 4	Pr/1
AEH9P3E	H7 Cap Attached Earmuffs, 24dB, Class 5	Pr/1

3M PELTOR™


3M™ Peltor™ Extreme Performance Earmuffs H10 Series

- Represents the ultimate in earmuff technology by combining extreme noise protection with exceptional wearer comfort
- Available in headband, neckband & helmet attachment formats
- Patented liquid and foam filled cushions provide a quality noise seal with low pressure for all day wearer comfort
- Stainless steel headband wires with four point suspension helps distribute cushion pressure evenly and earcups pivot for consistent fit

Code	Description	UOM/Qty
AEH10A	H10 Head band Earmuffs, 33dB, Class 5	Pr/1
AEH10B	H10 Neck band Earmuffs, 34dB, Class 5	Pr/1
AEH10P3E	H10 Cap Attached Earmuffs, 33dB, Class 5	Pr/1
AEH10AHV*	H10 Headband High Vis Earmuffs, 33dB, Class 5	Pr/1

*High visibility option available for dangerous work environments

3M PELTOR™


3M™ Peltor™ Worktunes™ Plus

- AM/FM radio provides hearing protection with music while you work
- Easy-to-handle volume control knobs for radio and level dependent function
- A short, flexible antenna provides excellent reception with no annoying interference
- Switches automatically from stereo to mono for the best reception in the event of a weak signal

Code	Description	UOM/Qty
AEHRX52A	Worktunes Plus M2RX7A SLC80:30dB, Class 5	Pr/1

3M PELTOR™


3M™ Peltor™ Hygiene Kits

- A range of replacement kits designed to keep Peltor earmuffs hygienic, comfortable and operating as intended
- Each kit contains replacement earcup inserts and padding

Code	Description	UOM/Qty
AEHY5	Hygiene Kit suitable for H6 & H9 Series Earmuffs	Pr/1
AEHY7	Hygiene Kit suitable for H7 Series Earmuffs	Pr/1
AEHY10	Hygiene Kit suitable for H10 Series Earmuffs	Pr/1



Laser Trak® Ear Plugs

- Offers high visual and metal detectability in a Single-Use earplug
- Non-ferrous metal grommet and bright colours - easily detected by visual and automated inspection
- Self adjusting polyurethane foam expands to fit virtually any wearer


Code	Description	UOM/Qty
UVLT-30	Laser Trak, Polycord, Individual Polybag, 25dB, Class 4	Bx/100



Max® Ear Plugs

- Offers superior noise-blocking performance in a single-use earplug
- World's most-used polyurethane foam earplug
- Bell shape delivers maximum in-ear comfort


Code	Description	UOM/Qty
UVMAX-1	Max 1, Uncorded, Individual Polybag, 26dB, Class 5	Bx/200
UVMAX-30	Max-30, Polycord, individual Polybag, 26dB, Class 5	Bx/100



X-Treme™ Earplugs

- For operations where high visibility is a must, the X-Treme single-use earplugs' bright orange colour offers eye-catching contrast to industrial settings
- Self-adjusting polyurethane foam expands to fit virtually every wearer

Code	Description	UOM/Qty
BM1006717	X-treme Polycord, Individual polybag, 26dB, Class 5	Bx/100



QB2HYG®

- Designed for people exposed to intermittent noise
- Smooth ergonomic pods fit in the ear for maximum protection
- Patented band design prevents ear pods from touching dirty or contaminated surfaces

Code	Description	UOM/Qty
UVQB2	QB2HYG Banded Supra-Aural, 21dB, Class 3	Bx/10
UVQB200	QB200HYG Replacement foam QB2, 21dB, Class 3	Bx/50

Safety

Hearing Protection



Laser Lite® Ear Plugs

- Polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while it's contoured T-shape delivers easy handling
- Vibrant colours make protection visible

Code	Description	UOM/Qty
UVLL-1	Laser Lite Uncorded, Individual poly bag, 25dB, Class 4	Bx/200
UVLL-30	Laser Lite Polycord, Individual poly bag, 25dB, Class 4	Bx/100



Leightning® L1 & L3 Earmuffs

- Leightning series' steel-wire construction provides high performance and robust durability
- Howard Leight's patented Air Flow Control™ technology delivers optimal attenuation across all frequencies, without increasing earcup size or weight
- Robust steel headband & snap in ear cushions for quick and easy replacement
- Telescopic height adjustment remains fixed during use

Code	Description	UOM/Qty
BMBL-1	Leightning L1 Over-the head, 29dB, Class 5	Pr/1
UVLM-777	Leightning L3 Over-the head, 33dB, Class 5	Pr/1

Hygiene Kits available. Further details available from your local customer service team.



Clarity® C1 & C3 Earmuffs

- Clarity series earmuffs improve worker safety by blocking noise, while voice and signal frequencies can be heard more naturally
- Uniform attenuation allows the wearer to hear co-workers instructions, and other important sounds more naturally while blocking out harmful noise
- Dielectric construction suitable for all workplaces
- Uniform headband pressure for all head sizes and inner ventilation provides better comfort
- Quick click height adjustment & snap-in ear cushions

Code	Description	UOM/Qty
BM1011142	Clarity C1 Over-the-head, 23dB, Class 4	Pr/1
BM1011146	Clarity C3 Over-the-head, 28dB, Class 5	Pr/1

Hygiene Kits available. Further details available from your local customer service team.



Mach™ 1 Earmuffs

- An economical choice for basic hearing in short-term situations
- Extremely lightweight construction provides all-day comfort
- Dielectric construction suitable for all workplaces

Code	Description	UOM/Qty
BM651010421	Mach 1 Earmuff, 22dB, Class 4	Pr/1

Hygiene Kits available. Further details available from your local customer service team.

uvex



Uvex Xact-Fit

- AS/NZS1270 approved
- SLC80: 22dB, Class 4
- Innovative earplugs adapt perfectly to the shape of the ear. The ergonomically shaped stems left and right
- Guarantees optimum wearer comfort
- Hygienic no need to roll before insertion - Replacement pods available. Ergonomic thumb indentations for correct insertion
- PVC & glue free
- Adjustable cord for individual wear
- Individually packed (1 pair/ mini box)

Code	Description	UOM/Qty
UVXA-CD	uvex xact-fit, 1 pair/ mini box (50 pairs/ box), 22 (dB), class 4, Ctn/20	Bx/50

uvex



Uvex X-Fit

- AS/NZS 1270 approved
- SLC80: 26dB, Class 5

Code	Description	UOM/Qty
UVXF-UC	uvex x-fit - uncorded (200 pair/box), 26 (dB), class 5, Ctn/10	Bx/200
UVXF-CD	uvex x-fit - corded (100 pair/box), 26 (dB), class 5, Ctn/10	Bx/100

uvex



Uvex Com4-Fit

- Smaller size, suitable for smaller ear canals
- Excellent noise reduction, class 4, (22dB)

Code	Description	UOM/Qty
UVCF-UC	uvex com4-fit - uncorded (200 pair/box), 22 (dB), class 4, Ctn/10	Bx/200
UVCF-CD	uvex com4-fit - corded (100 pair/box), 22 (dB), class 4, Ctn/10	Bx/100

uvex



Uvex Whisper

- Excellent noise reduction, class 4, (22.5dB)
- AS/NZS 1270 approved
- Flange and disc combination for easy and comfortable insertion

Code	Description	UOM/Qty
UVWP-UC	uvex whisper + - uncorded (50 pairs/box), 22.5 (dB), class 4, Ctn/10	Bx/50
UVWP-CD	uvex whisper + - corded (50 pairs/box), 22.5 (dB), class 4, Ctn/10	Bx/50
UVWP-DT	uvex whisper + detec - detectable (50 pairs/box), 22.5 (dB), class 4, Ctn/10	Bx/50

uvex



Uvex-2C

- SLC80 rating: 27dB, class 5
- AS/NZS 1270 approved
- climazone design with unique hygiene cushion liners to help regulate heat and moisture within the cup
- uvex ultra soft cushion technology
- Head band allows for extra ventilation due to raised padding
- Light reflecting head band, especially in low light environments
- Stainless steel suspension head band system for easy adjustment and individual fit
- Low head band clamping force of 9.9 Newtons for high wearer comfort

Code	Description	UOM/Qty
UVEX-2C	uvex-2c, 27dB, class 5, Ctn/50	Pr/1

uvex



Uvex-2N

- SLC80 rating: 27dB, class 5
- AS/NZS 1270 approved
- Neck band ear muff with high quality stainless steel suspension neck band system for easy adjustment and individual fit
- Can be used in conjunction with other PPE i.e. hard hats, sun hats, face and welding shields
- uvex ultra soft cushion technology
- Low head band clamping force of 9.9 Newtons for high wearer comfort

Code	Description	UOM/Qty
UVEX-2N	uvex 2N, 27dB, class 5, Ctn/50	Pr/1

uvex



Uvex 3V

- SLC80 rating: 31dB, class 5
- AS/NZS 1270 approved
- Ear muff cups glow in the dark after light exposure
- Light reflecting head band, especially in low light environments
- uvex ultra soft cushion technology
- High quality stainless steel suspension head band system for easy adjustment and individual fit
- Low head band clamping force of 10.1 Newtons for high wearer comfort
- Foldable ear muff for easy storage

Code	Description	UOM/Qty
UVEX-3V	uvex 3V, 31dB, class 5, Ctn/50	Pr/1

uvex



Uvex X

- SLC80 rating: 37dB, class 5
- AS/NZS 1270 approved
- uvex ultra soft cushion technology
- High quality stainless steel suspension head band system for easy adjustment and individual fit
- Low head band clamping force of 10.1 Newtons for high wearer comfort
- Foldable ear muff for easy storage

Code	Description	UOM/Qty
UVEX-X	uvex X, 37dB, class 5, Ctn/50	Pr/1